

2010 Subject Index

VOLUME 32, NUMBERS 1–12

A

Abnormalities *see* **Congenital malformations**

Aboriginal health

Returning birth to Aboriginal, rural, and remote communities [policy statement]. 32(12) (Dec 2010): 1186–8

Compassionate leadership [adapted from the inaugural speech of the incoming SOCG President]. 32(9) (Sep 2010): 823–5 [editorial]

Abortion, induced

Assessment of pain after elective abortion relating to the use of misoprostol for dilatation of the cervix. 32(3) (Mar 2010): 244–53

Towards an ethical policy for the prevention of fetal sex selection in Canada. 32(1) (Jan 2010): 54–7

A review of physician anaesthesia prescribing practices in an abortion clinic in British Columbia. 32(1) (Jan 2010): 41–4

Accessory ovary

Accessory ovary. 32(2) (Feb 2010): 107 [image]

ACE *see* **Angiotensin converting enzyme**

Acupuncture

Acupuncture and reproduction. 32(11) (Nov 2010): 1023–4 [editorial]

Adhesions

Predisposing factors and treatment outcome of different stages of intrauterine adhesions. 32(8) (Aug 2010): 764–70

Formation of Fitz-Hugh Curtis adhesions due to perihepatitis associated with salpingitis. 32(6) (June 2010): 533 [image]

Adhesion prevention in gynaecological surgery [clinical practice guideline]. 32(5) (May 2010): 598–602

Adolescent

Repeat screening for sexually transmitted infection in adolescent obstetric patients. 32(10) (Oct 2010): 956–61

Aging

Long-term efficacy of pelvic floor muscle rehabilitation for older women with urinary incontinence. 32(12) (Dec 2010): 1163–6

Ovarian cancer in the elderly patient: are we doing enough? 32(11) (Nov 2010): 1049–55

Alcohol use

Alcohol use and pregnancy consensus clinical guidelines. 32(8 Suppl 3) (Aug 2010): S1–S31 [Erratum. 32(11) (Nov 2010): 1027]

Amniotic fluid *see* **Rupture of the membranes**

Anaesthesia

A review of physician anaesthesia prescribing practices in an abortion clinic in British Columbia. 32(1) (Jan 2010): 41–4

Aneuploidy

An assessment of women's knowledge of and views on the reporting of ultrasound soft markers during the routine anatomy ultrasound examination. 32(2) (Feb 2010): 120–5

Angiotensin converting enzyme (ACE)

A case of severe preeclampsia leading to the diagnosis of de novo abnormal fatty acid metabolism and ACE gene deletion. 32(7) (July 2010): 695–7

Antibiotics

Recurrent urinary tract infection [clinical practice guideline]. 32(11) (Nov 2010): 1082–90

Antibiotic prophylaxis in obstetric procedures [clinical practice guideline]. 32(9) (Sep 2010): 878–84

Anticoagulants

The “warfarin window” in pregnancy: the importance of half-life. 32(10) (Oct 2010): 988–9

APOG

The Association of Professors of Obstetrics and Gynaecology of Canada (APOG) abstract program. 38th Annual Meeting. 32(1) (Jan 2010): 77–81

Assisted reproduction

Reproductive assistance, emotional health, obesity, and time to pregnancy among women under 35 years of age. 32(12) (Dec 2010): 1153–62

Elective single embryo transfer following in vitro fertilization [clinical practice guideline]. 32(4) (Apr 2010): 363–77

Preimplantation genetic diagnosis in Canada: a survey of Canadian IVF units. 32(4) (Apr 2010): 341–47

B

Bacterial infection

Vaginal douching, bacterial vaginosis, and spontaneous preterm birth. 32(4) (Apr 2010): 313–20

Perinatal listeriosis: Canada's 2008 Outbreaks. 32(1) (Jan 2010): 45–8

Birth

Returning birth to Aboriginal, rural, and remote communities [clinical practice guideline]. 32(12) (Dec 2010): 1186–8

In response [to letter re normal birth published in same issue]. 32(8) (Aug 2010): 728 [letter]

What is “normal” birth and why does it matter? [re policy statement and guideline published in *JOGC* 30(12) (Dec 2008): 1163–5]. 32(8) (Aug 2010): 727–8 [letter]

Birth outcomes *see also* **Perinatal outcomes**

Neighbourhood family income and adverse birth outcomes among singleton deliveries. 32(11) (Nov 2010): 1042–8

The effect of maternal age on adverse birth outcomes: does parity matter? 32(5) (May 2010): 541–8

Blood pressure monitoring *see* **Hypertension in pregnancy**

BRCA

Hereditary breast ovarian cancer syndromes in the Maritimes. 32(2) (Feb 2010): 155–9

Breech presentation *see also* **Caesarean section**

Maternal thyroid hormones in early pregnancy and risk of breech presentation. 32(10) (Oct 2010): 948–55

In response [to letter re breech presentation published in same issue]. 32(8) (Aug 2010): 729 [letter]

Singleton breech at term: two continents, two approaches [re article published in *JOGC* 32(3) (Mar 2010): 238–43]. 32(8) (Aug 2010): 728–9. [letter]

Singleton breech at term: two continents, two approaches. 32(3) (Mar 2010): 238–43

Evolving evidence since the term breech trial: Canadian response, European dissent, and potential solutions. 32(3) (Mar 2010): 217–24

In response [to letter re SOGC clinical practice guideline published in *JOGC* 31 (12) (Dec 2009): 1123]. 32(1) (Jan 2010): 15 [letter]

C

CA 125

Ovarian cancer in the elderly patient: are we doing enough? 32(11) (Nov 2010): 1049–55

Preoperative CA 125 tumour marker in endometrial cancer: correlation with advanced stage disease. 32(9) (Sep 2010): 856–60

Caesarean section *see also* **Breech presentation**

Influences on decision making among primiparous women choosing elective Caesarean section in the absence of medical indications: findings from a qualitative investigation. 32(10) (Oct 2010): 962–9

Does education level influence the decision to undergo elective repeat Caesarean section among women with a previous Caesarean section? 32(10) (Oct 2010): 942–7

Contribution of select maternal groups to temporal trends in rates of Caesarean section. 32(7) (July 2010): 633–41

Career choice

Obstetrics and gynaecology as a career choice: a cohort study of Canadian medical students. 32(11) (Nov 2010): 1063–9

Multicentre study on factors affecting the gynaecologic oncology career choice of Canadian residents in obstetrics and gynaecology. 32(8) (Aug 2010): 790–3

Cervical cancer

Cutaneous metastatic disease in cervical cancer: a case report. 32(5) (May 2010): 467–72

Cervical cerclage

Preterm prelabour rupture of membranes with cervical cerclage: a review of perinatal outcomes with cerclage retention. 32(5) (May 2010): 448–52

Abnormal vaginal bleeding in a woman with two previous Shirodkar cerclages. 32(4) (Apr 2010): 301 [image]

Cervical length

Contingent use of fetal fibronectin testing and cervical length measurement in women with preterm labour. 32(4) (Apr 2010): 307–12

Chemotherapy

Choriocarcinoma arising in a serous carcinoma of ovary: an example of histopathology driving treatment. 32(7) (July 2010): 698–702

Intraperitoneal chemotherapy for advanced ovarian and peritoneal cancers in patients following interval debulking surgery or primary cytoreductive surgery: Tom Baker Cancer Centre experience from 2006 to 2009. 32(3) (Mar 2010): 263–9

Choriocarcinoma

Choriocarcinoma arising in a serous carcinoma of ovary: an example of histopathology driving treatment. 32(7) (July 2010): 698–702

Coffin-Lowry syndrome

The Coffin-Lowry syndrome: a case report and review of the literature. 32(7) (July 2010): 691–4

Congenital malformations

Congenital malformations: agreement between diagnostic codes in an administrative database and mothers' reports. 32(5) (May 2010): 549–54

Contraception

Characteristics and concerns of women choosing an online contraception selection tool ("Choosing Wisely"). 32(8) (Aug 2010): 757–63

Natural family planning: physicians' knowledge, attitudes, and practice. 32(7) (July 2010): 673–8

Motivation and experience of nulliparous women using intrauterine contraceptive devices. 32(4) (Apr 2010): 335–8

Contraceptive ring

Cerebral venous sinus thrombosis in a woman using the etonogestrel-ethinyl estradiol vaginal contraceptive ring: a case report. 32(3) (Mar 2010): 270–3

Contraceptives, oral

Oral contraceptives and the risk of venous thromboembolism: an update [clinical practice guideline]. 32(12) (Dec 2010): 1192–7

Cytomegalovirus

Cytomegalovirus infection in pregnancy [clinical practice guideline]. 32(4) (Apr 2010): 348–54

Cysts

Late complications of childhood female genital mutilation. 32(5) (May 2010): 587–9

D

Delivery *see* **Birth; Breech presentation; Caesarean section**

Diabetes insipidus

Gestational diabetes insipidus: a review of an underdiagnosed condition. 32(3) (Mar 2010): 225–31

Diabetes mellitus

The prevalence of gestational diabetes mellitus and glucose abnormalities in pregnant women with hepatitis C virus infection in British Columbia. 32(10) (Oct 2010): 935–41

Elevated risk factors for adverse pregnancy outcomes among Filipina-Canadian women. 32(2) (Feb 2010): 113–19

Diagnosis, prenatal see Prenatal diagnosis**Diagnostic codes**

Severe maternal morbidity in Canada, 2003 to 2007: surveillance using routine hospitalization data and ICD-10CA codes. 32(9) (Sep 2010): 837–46

Congenital malformations: agreement between diagnostic codes in an administrative database and mothers' reports. 32(5) (May 2010): 549–54

Douching, vaginal

Vaginal douching, bacterial vaginosis, and spontaneous preterm birth. 32(4) (Apr 2010): 313–20

Doulas

The life of a Canadian doula: successes, confusion, and conflict. 32(7) (July 2010): 642–9

Drugs in pregnancy

The "warfarin window" in pregnancy: the importance of half-life. 32(10) (Oct 2010): 988–9

Is it appropriate to study the pharmacokinetics of drugs aimed at pregnant women in men? 32(7) (July 2010): 629–30 [editorial]

Wanted: inclusive guidelines for research involving pregnant women. 32(5) (May 2010): 473–6

E**Ectopic pregnancy**

Macroscopic evidence of ectopic pregnancy associated with mechanical tubal obstruction. 32(1) (Jan 2010): 9 [image]

Education, health see Health education**Education, medical**

The obstetrics and gynaecology resident as teacher. 32(12) (Dec 2010): 1176–85

Obstetrics and gynaecology as a career choice: a cohort study of Canadian medical students. 32(11) (Nov 2010): 1063–9

Pelvic examinations by medical students [joint policy statement]. 32(9) (Sep 2010): 872–4

Teaching pelvic examinations under anaesthesia: what do women think? [re article published in *JOGC* 32(1) (Jan 2010): 49–53]. 32(5) (May 2010): 539–40 [letter]

Teaching pelvic examinations under anaesthesia: what do women think? 32(1) (Jan 2010): 49–53

Education, medical, continuing

Outcomes of the introduction of the MORE^{OB} continuing education program in Alberta. 32(8) (Aug 2010): 749–55

Education, public see Health education**Education, women's**

Does education level influence the decision to undergo elective repeat Caesarean section among women with a previous Caesarean section? 32(10) (Oct 2010): 942–7

Embryo transfer see Assisted reproduction**Endometrial ablation**

Vulvar burn: a complication of hysteroscopic endometrial ablation. 32(11) (Nov 2010): 1021 [image]

Randomized comparison of goserelin versus suction surettage prior to ThermoChoice II balloon endometrial ablation: one-year results. 32(10) (Oct 2010): 973–9

Endometrial neoplasms

Preoperative CA 125 tumour marker in endometrial cancer: correlation with advanced stage disease. 32(9) (Sep 2010): 856–60

Laparoscopic surgery for endometrial cancer: a review. 32(5) (May 2010): 570–9

Endometrial thickening, asymptomatic

Asymptomatic endometrial thickening [clinical practice guideline]. 32(10) (Oct 2010): 990–9

Endometriosis

Laparoscopic internal iliac artery ligation for postpartum spontaneous hemoperitoneum. 32(12) (Dec 2010): 1172–5

Endometriosis: diagnosis and management [clinical practice guideline]. 32(7 Suppl 2) (July 2010): S1–S33 [Erratum. 32(9) (Sep 2010): 825]

The "hockey stick" sign in appendiceal endometriosis. 32(5) (May 2010): 421 [image]

Epidural analgesia

In response [to letter re normal birth published in same issue]. 32(8) (Aug 2010): 728 [letter]

What is "normal" birth and why does it matter? [re policy statement and guideline published in *JOGC* 30(12) (Dec 2008): 1163–5]. 32(8) (Aug 2010): 727–8 [letter]

Ethics

Is it appropriate to study the pharmacokinetics of drugs aimed at pregnant women in men? 32(7) (July 2010): 629–30 [editorial]

Wanted: inclusive guidelines for research involving pregnant women. 32(5) (May 2010): 473–6

Use of umbilical cord blood for stem cell research. 32(1) (Jan 2010): 58–61

Towards an ethical policy for the prevention of fetal sex selection in Canada. 32(1) (Jan 2010): 54–7

F**Fecal incontinence see Pelvic floor dysfunction****Fetal alcohol spectrum disorder**

Alcohol use and pregnancy consensus clinical guidelines. 32(8 Suppl 3) (Aug 2010): S1–S31 [Erratum. 32(11) (Nov 2010): 1027]

Fetal fibronectin

Contingent use of fetal fibronectin testing and cervical length measurement in women with preterm labour. 32(4) (Apr 2010): 307–12

Fetal soft markers see Ultrasound**Fibroid see Hysterectomy; Leiomyoma****G****Genetic screening see also Prenatal diagnosis**

Family history screening: use of the three generation pedigree in clinical practice. 32(7) (July 2010): 663–72

Preimplantation genetic diagnosis in Canada: a survey of Canadian IVF units. 32(4) (Apr 2010): 341–47

Genital mutilation

Late complications of childhood female genital mutilation. 32(5) (May 2010): 587–9

GOC see Society of Gynecologic Oncology of Canada**Gynaecologic oncology**

Multicentre study on factors affecting the gynaecologic oncology career choice of Canadian residents in obstetrics and gynaecology. 32(8) (Aug 2010): 790–3

H**Hamman's syndrome**

Immediate postpartum pneumomediastinum. 32(12) (Dec 2010): 1125 [image]

Health care policy

Compassionate leadership [adapted from the inaugural speech of the incoming SOCG President]. 32(9) (Sep 2010): 823–5 [editorial]

Pas si mal [reasons for optimism in the future of Canadian women's health care]. 32(8) (Aug 2010): 723–4 [editorial]

Health education

Characteristics and concerns of women choosing an online contraception selection tool ("Choosing Wisely"). 32(8) (Aug 2010): 757–63

Filtering information. 32(4) (Apr 2010): 303–4 [editorial]

A questionnaire study of cervical cancer screening beliefs and practices of Chinese and Caucasian mother-daughter pairs living in Canada. 32(3) (Mar 2010): 254–62

Impact of patient education on knowledge of influenza and vaccine recommendations among pregnant women. 32(3) (Mar 2010): 232–7

What do patients attending an antenatal clinic know about the role of resident physicians? 32(2) (Feb 2010): 160–4

Hemoperitoneum

Laparoscopic internal iliac artery ligation for postpartum spontaneous hemoperitoneum. 32(12) (Dec 2010): 1172–5

Hepatitis C

The effectiveness of screening for hepatitis C in pregnancy. 32(11) (Nov 2010): 1035–41

The prevalence of gestational diabetes mellitus and glucose abnormalities in pregnant women with hepatitis C virus infection in British Columbia. 32(10) (Oct 2010): 935–41

Herpes simplex virus

Prevention of and screening for herpes simplex infection: a survey of Quebec physicians. 32(2) (Feb 2010): 126–31

Human immunodeficiency virus (HIV)

Factors associated with HIV-positive women carrying pregnancies to term. 32(8) (Aug 2010): 756–62

Human papillomavirus

The acceptability of HPV vaccination among women attending the University of Saskatchewan Student Health Services. 32(7) (July 2010): 679–86

Human reproduction

Human reproduction: how much do we really know? 32(1) (Jan 2010): 11–2 [editorial]

Hydrops fetalis see Intrauterine transfusion**Hypertension in pregnancy**

Blood pressure measurement for hypertension in pregnancy. 32(4) (Apr 2010): 328–34

Hysterectomy

An unusual complication after vaginal hysterectomy. 32(11) (Nov 2010): 1059–62

Postpartum hemorrhage in a Jehovah's Witness patient controlled with tisseel, tranexamic acid, and recombinant factor VIIa. 32(10) (Oct 2010): 984–7

Vaginal hysterectomy for the enlarged fibroid uterus: a report of 85 cases. 32(10) (Oct 2010): 980–3

Adhesion prevention in gynaecological surgery [clinical practice guideline]. 32(5) (May 2010): 598–602

Supracervical hysterectomy [clinical practice guideline]. 32(1) (Jan 2010): 62–8

Hysteroscopy

Vulvar burn: a complication of hysteroscopic endometrial ablation. 32(11) (Nov 2010): 1021 [image]

I**Imiquimod**

Post-surgical treatment of melanoma in situ of the vulva with imiquimod. 32(8) (Aug 2010): 771–4

Immigration

The effect of recent immigration to Canada on gestational weight gain. 32(9) (Sep 2010): 829–36

A questionnaire study of cervical cancer screening beliefs and practices of Chinese and Caucasian mother-daughter pairs living in Canada. 32(3) (Mar 2010): 254–62

Elevated risk factors for adverse pregnancy outcomes among Filipina-Canadian women. 32(2) (Feb 2010): 113–9

In vitro fertilization see Assisted reproduction**Incontinence see Fecal incontinence; Urinary incontinence**

Indomethacin

Antenatal indomethacin tocolysis is associated with an increased need for surgical ligation of patent ductus arteriosus in preterm infants. 32(5) (May 2010): 435–42

Infertility

Reproductive assistance, emotional health, obesity, and time to pregnancy among women under 35 years of age. 32(12) (Dec 2010): 1153–62

Ovulation induction in polycystic ovary syndrome [clinical practice guideline]. 32(5) (May 2010): 495–502 [Erratum. 32(11) (Nov 2010): 1027]

Influenza

Acceptability and feasibility of seasonal influenza vaccine administration in an antenatal clinic setting. 32(8) (Aug 2010): 745–8

Perinatal and maternal outcomes in critically ill obstetrics patients with pandemic H1N1 influenza A. 32(5) (May 2010): 443–7

Impact of patient education on knowledge of influenza and vaccine recommendations among pregnant women. 32(3) (Mar 2010): 232–7

Informed consent see also Patient autonomy

Influences on decision making among primiparous women choosing elective Caesarean section in the absence of medical indications: findings from a qualitative investigation. 32(10) (Oct 2010): 962–9

Pelvic examinations by medical students [joint policy statement]. 32(9) (Sep 2010): 872–4

Teaching pelvic examinations under anaesthesia: what do women think? [re article published in *JOGC* 32(1) (Jan 2010): 49–53]. 32(5) (May 2010): 539–40 [letter]

Teaching pelvic examinations under anaesthesia: what do women think? 32(1) (Jan 2010): 49–53

International women's health

Global strategy for women's and children's health. 32(12) (Dec 2010): 1030–1 [editorial]

Compassionate leadership [adapted from the inaugural speech of the incoming President]. 32(9) (Sep 2010): 823–5 [editorial]

Save the mothers. 32(3) (Mar 2010): 205–6 [editorial]

Intrauterine device see Contraception**Intrauterine transfusion**

Successful outcome with intrauterine transfusion in non-immune hydrops fetalis secondary to congenital syphilis. 32(9) (Sep 2010): 861–5

J**Jehovah's Witness**

Postpartum hemorrhage in a Jehovah's Witness patient controlled with tisseel, tranexamic acid, and recombinant factor VIIa. 32(10) (Oct 2010): 984–7

Journal of Obstetrics and Gynaecology Canada

Great expectations. 32(12) (Dec 2010): 1127 [editorial]

Filtering information. 32(4) (Apr 2010): 303–4 [editorial]

So much to read, so little time. 32(2) (Feb 2010): 109–10 [editorial]

L**Labour see also Preterm labour**

Labour curve findings associated with fourth degree sphincter disruption: the impact of labour progression on perineal trauma. 32(1) (Jan 2010): 21–7

Laparoscopy

Laparoscopic internal iliac artery ligation for postpartum spontaneous hemoperitoneum. 32(12) (Dec 2010): 1172–5

Endometriosis: diagnosis and management [clinical practice guideline]. 32(7 Suppl 2) (July 2010): S1–S33

Laparoscopic surgery for endometrial cancer: a review. 32(5) (May 2010): 570–9

The laparoscopic myomectomy: a survey of Canadian gynaecologists. 32(2) (Feb 2010): 139–48

Leiomyoma

Fibroids treated with uterine artery embolization: do imaging findings correlate with patient outcomes? 32(5) (May 2010): 460–6

The laparoscopic myomectomy: a survey of Canadian gynaecologists. 32(2) (Feb 2010): 139–148

Transvaginal Doppler-guided uterine artery occlusion for the treatment of symptomatic fibroids: summary results from two pilot studies. 32(2) (Feb 2010): 149–54

Lichen sclerosis

Vulvar lichen sclerosis. 32(10) (Oct 2010): 929 [image]

Lidocaine

A review of physician anaesthesia prescribing practices in an abortion clinic in British Columbia. 32(1) (Jan 2010): 41–4

Listeriosis

Perinatal listeriosis: Canada's 2008 outbreaks. 32(1) (Jan 2010): 45–8

M**Maternal age**

Reproductive assistance, emotional health, obesity, and time to pregnancy among women under 35 years of age. 32(12) (Dec 2010): 1153–62

The effect of maternal age on adverse birth outcomes: does parity matter? 32(5) (May 2010): 541–8

Maternal morbidity/mortality see also MORE^{OB}; Patient safety; Pregnancy complications

Global strategy for women's and children's health. 32(12) (Dec 2010): 1130–1 [editorial]

Maternal mortality and severe maternal morbidity surveillance in Canada. 32(12) (Dec 2010): 1140–6

Temporal trends and regional variations in severe maternal morbidity in Canada, 2003 to 2007. 32(9) (Sep 2010): 847–55

Severe maternal morbidity in Canada, 2003 to 2007: surveillance using routine hospitalization data and ICD-10CA codes. 32(9) (Sep 2010): 837–46

Rationale for a long-term evaluation of the consequences of potentially life-threatening maternal conditions and maternal "near-miss" incidents using a multidimensional approach. 32(8) (Aug 2010): 730–8

Matrix metalloproteinase-2

Immunoexpression of matrix metalloproteinase-2 (MMP-2) in malignant ovarian epithelial tumours 32(5) (May 2010): 580–6

Melanoma in situ

Post-surgical treatment of melanoma in situ of the vulva with imiquimod. 32(8) (Aug 2010): 771–4

Midwifery

Comparison of costs and associated outcomes between women choosing newly integrated autonomous midwifery care and matched controls: a pilot study. 32(7) (July 2010): 650–6

Millennium Development Goals see International women's health**Misoprostol**

Assessment of pain after elective abortion relating to the use of misoprostol for dilatation of the cervix. 32(3) (Mar 2010): 244–53

Mood disorders

Screening for bipolar disorder during pregnancy and the postpartum period. 32(3) (Mar 2010): 278–81

Omega-3 supplements in pregnancy: are we too late to identify the possible benefits? 32(3) (Mar 2010): 209–16

MORE^{OB}

Outcomes of the introduction of the MORE^{OB} continuing education program in Alberta. 32(8) (Aug 2010): 749–55

A measurement tool to assess culture change regarding patient safety in hospital obstetrical units. 32(5) (May 2010): 590–7

Mycophenolate mofetil

Prenatal exposure to mycophenolate mofetil: an updated estimate. 32(8) (Aug 2010): 794–7

N**Nausea**

Nausea and vomiting *in* pregnancy is not always nausea and vomiting *of* pregnancy. 32(10) (Oct 2010): 970–2

Neonatal abstinence syndrome

An evaluation of rooming-in among substance-exposed newborns in British Columbia. 32(9) (Sep 2010): 866–71

Neonatal herpes

Prevention of and screening for herpes simplex infection: a survey of Quebec physicians. 32(2) (Feb 2010): 126–31

Nitroglycerine, transdermal

Maternal transdermal nitroglycerin use and early childhood development. 32(12) (Dec 2010): 1147–52

Nutritional supplements

Omega-3 supplements in pregnancy: are we too late to identify the possible benefits? 32(3) (Mar 2010): 209–16

O**Obesity**

Effect of obesity on parameters of ovarian reserve in premenopausal women. 32(7) (July 2010): 687–90

Obesity in pregnancy [clinical practice guideline]. 32(2) (Feb 2010): 165–73

Obstetrics see Maternal morbidity/mortality; MORE^{OB}; Pregnancy complications**Oligohydramnios see Rupture of the membranes****Omega-3 see Nutritional supplements****Oncology, gynaecologic see Gynaecologic oncology****Ovarian neoplasms**

Ovarian cancer in the elderly patient: Are we doing enough? 32(11) (Nov 2010): 1049–55

Choriocarcinoma arising in a serous carcinoma of ovary: an example of histopathology driving treatment. 32(7) (July 2010): 698–702

Immunoexpression of matrix metalloproteinase-2 (MMP-2) in malignant ovarian epithelial tumours 32(5) (May 2010): 580–6

Intraperitoneal chemotherapy for advanced ovarian and peritoneal cancers in patients following interval debulking surgery or primary cytoreductive surgery: Tom Baker Cancer Centre experience from 2006 to 2009. 32(3) (Mar 2010): 263–9

Hereditary breast ovarian cancer syndromes in the Maritimes. 32(2) (Feb 2010): 155–9

Ovarian reserve

Effect of obesity on parameters of ovarian reserve in premenopausal women. 32(7) (July 2010): 687–90

Ovulation induction

Ovulation induction in polycystic ovary syndrome [clinical practice guideline]. 32(5) (May 2010): 495–502 [Erratum. 32(11) (Nov 2010): 1027]

P**Pain, pelvic see Pelvic pain****Pain, postoperative**

Assessment of pain after elective abortion relating to the use of misoprostol for dilatation of the cervix. 32(3) (Mar 2010): 244–53

Patent ductus arteriosus

Antenatal indomethacin tocolysis is associated with an increased need for surgical ligation of patent ductus arteriosus in preterm infants. 32(5) (May 2010): 435–42

Patient autonomy see also Informed consent

Reproductive surprises [Contraception, screening, and choices about care and delivery diminish reproductive risk and uncertainty.] 32(10) (Oct 2010): 931–2 [editorial]

Patient safety see also Maternal morbidity/mortality; MORE^{OB}

The Ottawa Hospital Quality Incident Notification System for capturing adverse events in obstetrics. 32(7) (July 2010): 657–62

Pedigree

Family history screening: use of the three generation pedigree in clinical practice. 32(7) (July 2010): 663–72

Pelvic examination see Informed consent**Pelvic floor dysfunction**

Long-term efficacy of pelvic floor muscle rehabilitation for older women with urinary incontinence. 32(12) (Dec 2010): 1163–6

In response [to letter published in the same issue]. 32(11) (Nov 2010): 1029 [letter]

A retrospective review of patients seen in a multidisciplinary pelvic floor clinic [re article published in *JOGC* 32(1) (Jan 2010): 35–40]. 32(11) (Nov 2010): 1028 [letter]

A retrospective review of patients seen in a multidisciplinary pelvic floor clinic. 32(1) (Jan 2010): 35–40

Labour curve findings associated with fourth degree sphincter disruption: the impact of labour progression on perineal trauma. 32(1) (Jan 2010): 21–7

Pelvic fracture

An unusual complication after vaginal hysterectomy. 32(11) (Nov 2010): 1059–62

Pelvic pain

Endometriosis: diagnosis and management [clinical practice guideline]. 32(7 Suppl 2) (July 2010): S1–S33

Perinatal care

Antepartum risk score predicts adverse birth outcomes. 32(1) (Jan 2010): 16–20

Perinatal outcomes see also Birth outcomes

Preterm prelabour rupture of membranes with cervical cerclage: a review of perinatal outcomes with cerclage retention. 32(5) (May 2010): 448–52

Perinatal and maternal outcomes in critically ill obstetrics patients with pandemic H1N1 influenza A. 32(5) (May 2010): 443–7

Perineal trauma

Labour curve findings associated with fourth degree sphincter disruption: the impact of labour progression on perineal trauma. 32(1) (Jan 2010): 21–7

Perioperative complications see Adhesions; Hysterectomy

Physician-patient relations

Out of time. 32(5) (May 2010): 535–6 [editorial]

Physiotherapy

Long-term efficacy of pelvic floor muscle rehabilitation for older women with urinary incontinence. 32(12) (Dec 2010): 1163–6

Placental dysfunction

Sonographic diagnosis of chronic abruption. 32(11) (Nov 2010): 1056–8

Application of 3-D angiography in the management of placenta percreta treated with repeat uterine artery embolization. 32(8) (Aug 2010): 775–9.

Policy see Health care policy

Polycystic ovary syndrome

Ovulation induction in polycystic ovary syndrome [clinical practice guideline]. 32(5) (May 2010): 495–502 [Erratum. 32(11) (Nov 2010): 1027]

Women's perceptions of polycystic ovary syndrome following participation in a clinical research study: implications for knowledge, feelings, and daily health practices. 32(5) (May 2010): 453–9

Polycystic ovary syndrome: a contemporary view. 32(5) (May 2010): 423–5 [editorial]

Postnatal care

An evaluation of rooming-in among substance-exposed newborns in British Columbia. 32(9) (Sep 2010): 866–71

Postoperative complications see Hysterectomy

Postpartum depression see Mood disorders

Postpartum hemorrhage

Postpartum hemorrhage in a Jehovah's Witness patient controlled with tisseel, tranexamic acid, and recombinant factor VIIa. 32(10) (Oct 2010): 984–7

Postpartum psychosis

A mnemonic for identification and management of postpartum psychosis. 32(11) (Nov 2010): 1028 [letter]

PPROM (Preterm prelabour/premature rupture of the membranes) see Rupture of the Membranes

Preeclampsia

A case of severe preeclampsia leading to the diagnosis of de novo abnormal fatty acid metabolism and ACE gene deletion. 32(7) (July 2010): 695–7

Pregnancy

The effect of recent immigration to Canada on gestational weight gain. 32(9) (Sep 2010): 829–36

Acceptability and feasibility of seasonal influenza vaccine administration in an antenatal clinic setting. 32(8) (Aug 2010): 745–8

Mesure du segment inférieur utérin : sommes-nous prêts pour une application clinique ? [Measurement of the lower uterine segment: are we ready for a clinical application?] [Article in French with English abstract]. 32(4) (Apr 2010): 339–40

Blood pressure measurement for hypertension in pregnancy. 32(4) (Apr 2010): 328–34

Obesity in pregnancy [clinical practice guideline]. 32(2) (Feb 2010): 165–173

Is sleep disturbed in pregnancy? 32(1) (Jan 2010): 28–34

Pregnancy complications

Nausea and vomiting *in* pregnancy is not always nausea and vomiting *of* pregnancy. 32(10) (Oct 2010): 970–2

Parameters associated with outcome in third trimester monochorionic diamniotic twin pregnancies. 32(5) (May 2010): 429–34

Monochorionic diamniotic triplet pregnancy with prenatal diagnosis of cord entanglement. 32(3) (Mar 2010): 274–7

Perinatal listeriosis: Canada's 2008 outbreaks. 32(1) (Jan 2010): 45–8

Pregnancy, multiple

Parameters associated with outcome in third trimester monochorionic diamniotic twin pregnancies. 32(5) (May 2010): 429–34

Elective single embryo transfer following in vitro fertilization [clinical practice guideline]. 32(4) (Apr 2010): 363–77

Monochorionic diamniotic triplet pregnancy with prenatal diagnosis of cord entanglement. 32(3) (Mar 2010): 274–7

Pregnancy outcomes

Perinatal and maternal outcomes in critically ill obstetrics patients with pandemic H1N1 influenza A. 32(5) (May 2010): 443–7

Premature labour *see* Preterm labour

Prenatal care

Antepartum risk score predicts adverse birth outcomes. 32(1) (Jan 2010): 16–20

Prenatal diagnosis *see also* Genetic screening

Cytomegalovirus infection in pregnancy [clinical practice guideline]. 32(4) (Apr 2010): 348–54

Monochorionic diamniotic triplet pregnancy with prenatal diagnosis of cord entanglement. 32(3) (Mar 2010): 274–7

Preterm birth

Late preterm delivery in women with preterm prelabour rupture of membranes. 32(5) (May 2010): 555–60

Antenatal indomethacin tocolysis is associated with an increased need for surgical ligation of patent ductus arteriosus in preterm infants. 32(5) (May 2010): 435–42

Vaginal douching, bacterial vaginosis, and spontaneous preterm birth. 32(4) (Apr 2010): 313–20

Preterm labour

Contingent use of fetal fibronectin testing and cervical length measurement in women with preterm labour. 32(4) (Apr 2010): 307–12

Preterm prelabour/premature rupture of the membranes (PPROM) *see* Rupture of the membranes

Prophylaxis

Recurrent urinary tract infection [clinical practice guideline]. 32(11) (Nov 2010): 1082–90

Antibiotic prophylaxis in obstetric procedures [clinical practice guideline]. 32(9) (Sep 2010): 878–84

Psychosis, postpartum *see* Postpartum psychosis

Public education *see* Health education

R

Research

Is it appropriate to study the pharmacokinetics of drugs aimed at pregnant women in men? 32(7) (July 2010): 629–30 [editorial]

Wanted: inclusive guidelines for research involving pregnant women. 32(5) (May 2010): 473–6

Use of umbilical cord blood for stem cell research. 32(1) (Jan 2010): 58–61

Resident physicians

The obstetrics and gynaecology resident as teacher. 32(12) (Dec 2010): 1176–85

Multicentre study on factors affecting the gynaecologic oncology career choice of Canadian residents in obstetrics and gynaecology. 32(8) (Aug 2010): 790–3

Pas si mal [reasons for optimism in the future of Canadian women's health care]. 32(8) (Aug 2010): 723–4 [editorial]

What do patients attending an antenatal clinic know about the role of resident physicians? 32(2) (Feb 2010): 160–4

Rhesus immune globulin

Peripartum factors predicting the need for increased doses of postpartum rhesus immune globulin. 32(8) (Aug 2010): 739–44

Risk assessment

Antepartum risk score predicts adverse birth outcomes. 32(1) (Jan 2010): 16–20

Rituximab

Rituximab for management of refractory pregnancy-associated immune thrombocytopenic purpura: a case report. 32(12) (Dec 2010): 1167–71

Rooming-in care

An evaluation of rooming-in among substance-exposed newborns in British Columbia. 32(9) (Sep 2010): 866–71

Rupture of the membranes

Influence of oligohydramnios on preterm premature rupture of the membranes at 30–36 weeks gestation 32(11) (Nov 2010): 1030–4

Diagnosis of premature rupture of membranes: inspiration from the past and insights for the future. 32(5) (May 2010): 561–69

Late preterm delivery in women with preterm prelabour rupture of membranes. 32(5) (May 2010): 555–60

Preterm prelabour rupture of membranes with cervical cerclage: a review of perinatal outcomes with cerclage retention. 32(5) (May 2010): 448–52

Rural health services

Returning birth to Aboriginal, rural, and remote communities [clinical practice guideline]. 32(12) (Dec 2010): 1186–8

Compassionate leadership [adapted from the inaugural speech of the incoming President]. 32(9) (Sep 2010): 823–5 [editorial]

S

Save the Mothers Program *see* International women's health

Screening

The effectiveness of screening for hepatitis C in pregnancy. 32(11) (Nov 2010): 1035–41

Repeat screening for sexually transmitted infection in adolescent obstetric patients. 32(10) (Oct 2010): 956–61

Reproductive surprises [Contraception, screening, and choices about care and delivery diminish reproductive risk and uncertainty.] 32(10) (Oct 2010): 931–2 [editorial]

Screening for bipolar disorder during pregnancy and the postpartum period. 32(3) (Mar 2010): 278–81

A questionnaire study of cervical cancer screening beliefs and practices of Chinese and Caucasian mother-daughter pairs living in Canada. 32(3) (Mar 2010): 254–62

Sex selection

Towards an ethical policy for the prevention of fetal sex selection in Canada. 32(1) (Jan 2010): 54–7

Sexual dysfunction

Impact of educational seminars on women with provoked vestibulodynia. 32(2) (Feb 2010): 132–8

Sexually transmitted infections

Repeat screening for sexually transmitted infection in adolescent obstetric patients. 32(10) (Oct 2010): 956–61

Successful outcome with intrauterine transfusion in non-immune hydrops fetalis secondary to congenital syphilis. 32(9) (Sep 2010): 861–5

Shirodkar cerclage

Abnormal vaginal bleeding in a woman with two previous Shirodkar cerclages. 32(4) (Apr 2010): 301 [image]

Short cervix *see* Cervical length

Sister Mary Joseph's nodule

Sister Mary Joseph's nodule. 32(8) (Aug 2010): 721 [image]

Sleep

Is sleep disturbed in pregnancy? 32(1) (Jan 2010): 28–34

Society of Gynecologic Oncology of Canada (GOC)

Abstracts of papers and posters to be presented at the Society of Gynecologic Oncology of Canada (GOC) 31st Annual General Meeting: 32(6 Suppl 1) (June 2010): S64–S78

Society of Obstetricians and Gynaecologists of Canada, (SOGC)

Compassionate leadership [adapted from the inaugural speech of the incoming President]. 32(9) (Sep 2010): 823–5 [editorial] [Erratum. 32(7) (July 2010): 630]

Abstracts of papers and posters to be presented at the SOGC 66th Annual Clinical Meeting. 32(6 Suppl 1) (June 2010): S2–S62

Socioeconomic status

Neighborhood family income and adverse birth outcomes among singleton deliveries. 32(11) (Nov 2010): 1042–8

Does education level influence the decision to undergo elective repeat Caesarean section among women with a previous Caesarean section? 32(10) (Oct 2010): 942–7

Soft markers *see* Ultrasound

SOGC *see* Society of Obstetricians and Gynaecologists of Canada

Stem cells

Use of umbilical cord blood for stem cell research. 32(1) (Jan 2010): 58–61

Sterility *see* infertility

Substance withdrawal, neonatal *see* Neonatal abstinence syndrome

Surgery, gynaecological

Guidelines for the evaluation and treatment of recurrent urinary incontinence following pelvic floor surgery [clinical practice guideline]. 32(9) (Sep 2010): 893–8

Surgical site infection

Antibiotic prophylaxis in obstetric procedures [clinical practice guideline]. 32(9) (Sep 2010): 878–84

Surgical technique

Robotic-assisted salpingostomy for ectopic pregnancy. 32(7) (July 2010): 627 [image]

Syphilis, congenital *see* Sexually transmitted infections

T

Teratogens *see also* Drugs in pregnancy

Prenatal exposure to mycophenolate mofetil: an updated estimate. 32(8) (Aug 2010): 794–7

Alcohol use and pregnancy consensus clinical guidelines. 32(8 Suppl 3) (Aug 2010): S1–S31 [Erratum. 32(11) (Nov 2010): 1027]

Teratoma

Cul-de-sac mature cystic teratoma. 32(9) (Sep 2010): 821 [image]

Thrombocytopenia

Rituximab for management of refractory pregnancy-associated immune thrombocytopenic purpura: a case report. 32(12) (Dec 2010): 1167–71

Thromboembolism

Oral contraceptives and the risk of venous thromboembolism: an update [clinical practice guideline]. 32(12) (Dec 2010): 1192–7

Thrombosis, venous

Cerebral venous sinus thrombosis in a woman using the etonogestrel-ethinyl estradiol vaginal contraceptive ring: a case report. 32(3) (Mar 2010): 270–3

Thyroid hormones

Maternal thyroid hormones in early pregnancy and risk of breech presentation. 32(10) (Oct 2010): 948–55

Tubal obstruction *see* Ectopic pregnancy

Tumour markers

Preoperative CA 125 tumour marker in endometrial cancer: correlation with advanced stage disease. 32(9) (Sep 2010): 856–60

Twin pregnancy *see* Pregnancy, multiple

U

Ultrasound

Sonographic maturation of the placenta at 30 to 34 weeks is not associated with second trimester markers of placental insufficiency in low-risk pregnancies. 32(12) (Dec 2010): 1134–9

Sonographic diagnosis of chronic abruption. 32(11) (Nov 2010): 1056–8
Asymptomatic endometrial thickening [clinical practice guideline]. 32(10) (Oct 2010): 990–9

Application of 3-D angiography in the management of placenta percreta treated with repeat uterine artery embolization. 32(8) (Aug 2010): 775–9

Sonographic lower uterine segment thickness and risk of uterine scar defect: a systematic review. 32(4) (Apr 2010): 321–7

The laparoscopic myomectomy: a survey of Canadian gynaecologists. 32(2) (Feb 2010): 139–48

An assessment of women's knowledge of and views on the reporting of ultrasound soft markers during the routine anatomy ultrasound examination. 32(2) (Feb 2010): 120–5

Umbilical cord

Monochorionic diamniotic triplet pregnancy with prenatal diagnosis of cord entanglement. 32(3) (Mar 2010): 274–7

Umbilical cord blood see Stem cells

Umbilical lesion

Sister Mary Joseph's nodule. 32(8) (Aug 2010): 721 [image]

United Nations Millennium Development Goals see International women's health

Urinary incontinence

Long-term efficacy of pelvic floor muscle rehabilitation for elderly women with urinary incontinence. 32(12) (Dec 2010): 1163–6

In response [to letter published in the same issue]. 32(11) (Nov 2010): 1029 [letter]

A retrospective review of patients seen in a multidisciplinary pelvic floor clinic [re article published in *JOGC* 32(1) (Jan 2010): 35–40]. 32(11) (Nov 2010): 1028 [letter]

Guidelines for the evaluation and treatment of recurrent urinary incontinence following pelvic floor surgery [clinical practice guideline]. 32(9) (Sep 2010): 893–8

A retrospective review of patients seen in a multidisciplinary pelvic floor clinic. 32(1) (Jan 2010): 35–40

Urinary tract infection

Recurrent urinary tract infection [clinical practice guideline]. 32(11) (Nov 2010): 1082–90

Uterine artery embolization

Application of 3-D angiography in the management of placenta percreta treated with repeat uterine artery embolization. 32(8) (Aug 2010): 775–9

Fibroids treated with uterine artery embolization: do imaging findings correlate with patient outcomes? 32(5) (May 2010): 460–6

Transvaginal Doppler-guided uterine artery occlusion for the treatment of symptomatic fibroids: summary results from two pilot studies. 32(2) (Feb 2010): 149–54

Uterine bleeding, abnormal

Wait times for women with abnormal uterine bleeding in South-western Ontario. 32(7) (July 2010): 703–7

Uterine fibroids see Leiomyoma; Uterine artery embolization

Uterine rupture

Mesure du segment inférieur utérin : sommes-nous prêts pour une application clinique ? [Measurement of the lower uterine segment: are we ready for a clinical application?] [Article in French with English abstract]. 32(4) (Apr 2010): 339–40

Sonographic lower uterine segment thickness and risk of uterine scar defect: a systematic review. 32(4) (Apr 2010): 321–7

V

Vaccination, acceptance of see Human papillomavirus; Influenza

Vaginal birth after Caesarean (VBAC) see Caesarean section

Vasa previa

Vasa previa. 32(3) (Mar 2010): 203 [image]

Vestibulodynia

Impact of educational seminars on women with provoked vestibulodynia. 32(2) (Feb 2010): 132–8

W

Wait times

Wait times for women with abnormal uterine bleeding in South-western Ontario. 32(7) (July 2010): 703–7

Warfarin

The “warfarin window” in pregnancy: the importance of half-life. 32(10) (Oct 2010): 988–9

Weight gain, maternal

The effect of recent immigration to Canada on gestational weight gain. 32(9) (Sep 2010): 829–36

Women's education see Education, women's